

LATIHAN SOAL

1. Which statement(s) are true? (Choose all that apply.)

- A. Has-a relationships always rely on inheritance.
- B. Has-a relationships always rely on instance variables.
- C. Has-a relationships always require at least two class types.
- D. Has-a relationships always rely on polymorphism.
- E. Has-a relationships are always tightly coupled.

2. Given:

```
class Clidders {
    public final void flipper() { System.out.println("Clidder"); }
}
public class Clidlets extends Clidders {
    public void flipper() {
        System.out.println("Flip a Clidlet");
        super.flipper();
    }
    public static void main(String [] args) {
        new Clidlets().flipper();
    }
}
```

What is the result?

- A. Flip a Clidlet
- B. Flip a Clidder
- C. Flip a Clidder

Flip a Clidlet

- D. Flip a Clidlet

Flip a Clidder

- E. Compilation fails.

```
3. class Top {
    public Top(String s) { System.out.print("B"); }
}
public class Bottom2 extends Top {
    public Bottom2(String s) { System.out.print("D"); }
    public static void main(String [] args) {
        new Bottom2("C");
        System.out.println(" ");
    }
}
```

What is the result?

- A. BD

- B. DB
- C. BDC
- D. DBC
- E. Compilation fails.

4. Given:

```
class Clidder {
    private final void flipper() { System.out.println ("Clidder"); }
}

public class Clidlet extends Clidder {
    public final void flipper() { System.out.println("Clidlet"); }
    public static void main(String [] args) {
        new Clidlet().flipper();
    }
}
```

What is the result?

- A. Clidlet
- B. Clidder
- C. Clidder
- Clidlet
- D. Clidlet
- Clidder
- E. Compilation fails.

5. Given:

```
1. class Plant {
2.     String getName() { return "plant"; }
3.     Plant getType() { return this; }
4. }
5. class Flower extends Plant {
6.     // insert code here
7. }
8. class Tulip extends Flower {}
```

Which statement(s), inserted at line 6, will compile? (Choose all that apply.)

- A. Flower getType() { return this; }
- B. String getType() { return "this"; }
- C. Plant getType() { return this; }
- D. Tulip getType() { return new Tulip() ;}

6. Given:

```

1. class Zing {
2.     protected Hmpf h;
3. }
4. class Woop extends Zing { }
5. class Hmpf { }

```

Which is true? (Choose all that apply.)

- A. Woop is-a Hmpf and has-a zing.
- B. zing is-a Woop and has-a Hmpf.
- C. Hmpf has-a Woop and Woop is-a Zing.
- D. Woop has-a Hmpf and Woop is-a zing.
- E. Zing has-a Hmpf and Zing is-a Woop.

7.

```

class Programmer {
2.     Programmer debug() { return this; }
3. }
4. class SCJP extends Programmer {
5.     // insert code here
6. }

```

Which, inserted at line 5, will compile? (Choose all that apply.)

- A. Programmer debug() { return this; }
- B. SCJP debug() { return this; }
- C. Object debug() { return this; }
- D. int debug() { return 1; }
- E. int debug(int x) { return 1; }
- F. Object debug (int x) { return this; }

8.

Given:

```

class Uber {
    static int y = 2;
    Uber(int x) { this(); y = y * 2; }
    Uber() { y++; }
}
class Minor extends Uber {
    Minor() { super(y); y = y + 3; }
    public static void main(String [] args) {
        new Minor();
        System.out.println(y);
    } }

```

What is the result?

- A. 6
- B. 7
- C. 8

- D. 9
- E. Compilation fails.
- F. An exception is thrown.

9.

```
class Dog { }
2. class Beagle extends Dog { }
3.
4. class Kennel {
5.     public static void main(String [] arfs) {
6.         Beagle b1 = new Beagle();
7.         Dog dog1 = new Dog();
8.         Dog dog2 = b1;
9.         // insert code here
10.    } }
```

Which, inserted at line 9, will compile? (Choose all that apply.)

- A. Beagle b2 = (Beagle) dog1;
- B. Beagle b3 = (Beagle) dog2;
- C. Beagle b4 = dog2;
- D. None of the above statements will compile.

10.

Given the following,

```
1. class X { void do1() { } }
2. class Y extends X { void do2() { } }
3.
4. class Chrome {
5.     public static void main(String [] args) {
6.         X x1 = new X();
7.         X x2 = new Y();
8.         Y y1 = new Y();
9.         // insert code here
10.    } }
```

Which, inserted at line 9, will compile? (Choose all that apply.)

- A. x2.do2();
- B. (Y) x2. do2();
- C. ((Y)x2).do2();
- D. None of the above statements will compile.

11.

Given:

```
1. class Voop {
2.     public static void main(String [] args) {
3.         doStuff(1);
```

```

4.     doStuff(1, 2);
5.     }
6.     // insert code here
7.     }

```

Which, inserted independently at line 6, will compile? (Choose all that apply.)

- A. `static void doStuff(int... doArgs) { }`
- B. `static void doStuff (int [] doArgs) { }`
- C. `static void doStuff(int doArgs...) { }`
- D. `static void doStuff(int... doArgs, int y) { }`
- E. `static void doStuff(int x, int... doArgs) { }`

12.

Given:

```

class Alien {
    String invade(short ships) { return "a few"; }
    String invade(short... ships) { return "many"; }
}
class Defender {
    public static void main(String [] args) {
        System.out.println(new Alien().invade(7));
    }
}

```

What is the result?

- A. many
- B. a few
- C. Compilation fails.
- D. The output is not predictable.
- E. An exception is thrown at runtime.

13.

Given:

```

class Eggs {
    int doX(Long x, Long y) { return 1; }
    int doX(long... x) { return 2; }
    int doX(Integer x, Integer y) { return 3; }
    int doX(Number n, Number m) { return 4; }
    public static void main(String[] args) {
        new Eggs().go();
    }
    void go () {
        short s = 7;
        System.out.print(doX(s,s) + " ");
        System.out.println(doX(7,7));
    }
}

```

What is the result?

- A. 1 1
- B. 2 1
- C. 3 1
- D. 4 1
- E. 2 3
- F. 3 3
- G. 4 3

14.

Given:

```
class Mixer {
    Mixer() { }
    Mixer(Mixer m) { m1 = m;}
    Mixer m1;
    public static void main(String[] args) {
        Mixer m2 = new Mixer();
        Mixer m3 = new Mixer(m2); m3.go();
        Mixer m4 = m3.m1; m4.go();
        Mixer m5 = m2.m1; m5.go();
    }
    void go() { System.out.print("hi "); }
}
```

What is the result?

- A. hi
- B. hi hi
- C. hi hi hi
- D. Compilation fails
- E. hi, followed by an exception
- F. hi hi, followed by an exception

15.

Given:

```
class Fizz {
    int x = 5;
    public static void main(String[] args) {
        final Fizz f1 = new Fizz();
        Fizz f2 = new Fizz();
        Fizz f3 = FizzSwitch(f1,f2);
        System.out.println((f1 == f3) + " " + (f1.x == f3.x));
    }
    static Fizz FizzSwitch(Fizz x, Fizz y) {
        final Fizz z = x;
        z.x = 6;
        return z;
    } }
}
```

What is the result?

- A. true true
- B. false true
- C. true false
- D. false false
- E. Compilation fails.
- F. An exception is thrown at runtime.

16.

Given:

```
class Knowing {
    static final long tooth = 343L;
    static long doIt(long tooth) {
        System.out.print(++tooth + " ");

        return ++tooth;
    }
    public static void main(String[] args) {
        System.out.print(tooth + " ");
        final long tooth = 340L;
        new Knowing().doIt(tooth);
        System.out.println(tooth);
    }
}
```

What is the result?

- A. 343 340 340
- B. 343 340 342
- C. 343 341 342
- D. 343 341 340
- E. 343 341 343
- F. Compilation fails.
- G. An exception is thrown at runtime.

17.

Given:

```
class Bird {
    { System.out.print("b1 "); }
    public Bird() { System.out.print("b2 "); }
}
class Raptor extends Bird {
    static { System.out.print("r1 "); }
    public Raptor() { System.out.print("r2 "); }
    { System.out.print("r3 "); }
    static { System.out.print("r4 "); }
}
class Hawk extends Raptor {
```

```

public static void main(String[] args) {
    System.out.print("pre ");
    new Hawk();
    System.out.println("hawk ");
}
}

```

What is the result?

- A. pre b1 b2 r3 r2 hawk
- B. pre b2 b1 r2 r3 hawk
- C. pre b2 b1 r2 r3 hawk r1 r4
- D. r1 r4 pre b1 b2 r3 r2 hawk
- E. r1 r4 pre b2 b1 r2 r3 hawk
- F. pre r1 r4 b1 b2 r3 r2 hawk
- G. pre r1 r4 b2 b1 r2 r3 hawk
- H. The order of output cannot be predicted.
- I. Compilation fails.

18.

```

1. public interface A {
2.     public void doSomething(String thing);
3. }

1. public class AImpl implements A {
2.     public void doSomething(String msg) { }
3. }

1. public class B {
2.     public A doit() {
3.         // more code here
4.     }
5.
6.     public String execute() {
7.         // more code here
8.     }
9. }

1. public class C extends B {
2.     public AImpl doit() {
3.         // more code here
4.     }
5.
6.     public Object execute() {
7.         // more code here
8.     }
9. }

```

- A. Compilation will succeed for all classes and interfaces.
- B. Compilation of class C will fail because of an error in line 2.
- C. Compilation of class C will fail because of an error in line 6.
- D. Compilation of class AImpl will fail because of an error in line 2.

19.

Given:

```
1. public class Plant {
2.     private String name;
3.     public Plant(String name) { this.name = name; }
4.     public String getName() { return name; }
5. }
1. public class Tree extends Plant {
2.     public void growFruit() { }
3.     public void dropLeaves() { }
4. }
```

Which statement is true?

- A. The code will compile without changes.
- B. The code will compile if `public Tree() { Plant(); }` is added to the Tree class.
- C. The code will compile if `public Plant() { Tree(); }` is added to the Plant class.
- D. The code will compile if `public Plant() { this("fern"); }` is added to the Plant class.
- E. The code will compile if `public Plant() { Plant("fern"); }` is added to the Plant class.

20.

Given:

```
10. interface Foo {}
11. class Alpha implements Foo {}
12. class Beta extends Alpha {}
13. class Delta extends Beta {
14.     public static void main( String[] args ) {
15.         Beta x = new Beta();
16.         // insert code here
17.     }
18. }
```

Which code, inserted at line 16, will cause a `java.lang.ClassCastException`?

- A. `Alpha a = x;`
- B. `Foo f = (Delta)x;`
- C. `Foo f = (Alpha)x;`
- D. `Beta b = (Beta)(Alpha)x;`

21.

Given:

```
11. class A {
12.     public void process() { System.out.print("A,"); }
13. class B extends A {
14.     public void process() throws IOException {
15.         super.process();
16.         System.out.print("B,");
17.         throw new IOException();
18.     }
19. public static void main(String[] args) {
20.     try { new B().process(); }
21.     catch (IOException e) { System.out.println("Exception"); }}
```

What is the result?

- A. Exception
- B. A,B,Exception
- C. Compilation fails because of an error in line 20.
- D. Compilation fails because of an error in line 14.
- E. A NullPointerException is thrown at runtime.

22.

Given:

```
11. public class Yikes {
12.
13.     public static void go(Long n) {System.out.println("Long ");}
14.     public static void go(Short n) {System.out.println("Short ");}
15.     public static void go(int n) {System.out.println("int ");}
16.     public static void main(String [] args) {
17.         short y = 6;
18.         long z = 7;
19.         go(y);
20.         go(z);
21.     }
22. }
```

What is the result?

- A. int Long
- B. Short Long
- C. Compilation fails.
- D. An exception is thrown at runtime.

23.

```

10: public class Hello {
11:   String title;
12:   int value;
13:   public Hello() {
14:     title += " World";
15:   }
16:   public Hello(int value) {
17:     this.value = value;
18:     title = "Hello";
19:     Hello();
20:   }
21: }

```

What is the result?

- A - Hello
- B - Hello World
- C - Compilation fails.
- D - Hello World 5
- E - The code runs with no output.
- F - An exception is thrown at runtime

and:

```

30: Hello c = new Hello(5);
31: System.out.println(c.title);

```

24.

Given:

```

1. class Super {
2.   private int a;
3.   protected Super(int a) { this.a = a; }
4. }
...
11. class Sub extends Super {
12.   public Sub(int a) { super(a); }
13.   public Sub() { this.a = 5; }
14. }

```

Which two, independently, will allow Sub to compile? (Choose two.)

- A - Change line 2 to:
public int a;
- B - Change line 2 to:
protected int a;
- C - Change line 13 to:
public Sub() { this(5); }
- D - Change line 13 to:
public Sub() { super(5); }
- E - Change line 13 to:
public Sub() { super(a); }

25.

```

1. class ClassA {
2.   public int numberOfInstances;
3.   protected ClassA(int numberOfInstances) {
4.     this.numberOfInstances = numberOfInstances;
5.   }
6. }
7. public class ExtendedA extends ClassA {
8.   private ExtendedA(int numberOfInstances) {
9.     super(numberOfInstances);
10.  }
11.   public static void main(String[] args) {
12.     ExtendedA ext = new ExtendedA(420);
13.     System.out.print(ext.numberOfInstances);
14.   }
15. }

```

Which statement is true?

- A - 420 is the output.
- B - An exception is thrown at runtime.
- C - All constructors must be declared public.
- D - Constructors CANNOT use the private modifier.
- E - Constructors CANNOT use the protected modifier.

26.

Given:

```
1. interface A { public void aMethod(); }
2. interface B { public void bMethod(); }
3. interface C extends A,B { public void cMethod(); }
4. class D implements B {
5.     public void bMethod(){}
6. }
7. class E extends D implements C {
8.     public void aMethod(){}
9.     public void bMethod(){}
10.    public void cMethod(){}
11. }
```

What is the result?

- A. Compilation fails because of an error in line 3.
- B. Compilation fails because of an error in line 7.
- C. Compilation fails because of an error in line 9.
- D. If you define `D e = new E()`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- E. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 5.
- F. If you define `D e = (D)(new E())`, then `e.bMethod()` invokes the version of `bMethod()` defined in Line 9.

27.

Given:

```
1. public class Base {
2.     public static final String FOO = "foo";
3.     public static void main(String[] args) {
4.         Base b = new Base();
5.         Sub s = new Sub();
6.         System.out.print(Base.FOO);
7.         System.out.print(Sub.FOO);
8.         System.out.print(b.FOO);
9.         System.out.print(s.FOO);
10.        System.out.print(((Base)s).FOO);
11.    } }
12. class Sub extends Base {public static final String FOO="bar";}
```

What is the result?

- A. fofofofofofofo
- B. foobarfoobarbar
- C. foobarfofofofo
- D. foobarfoobarfoo
- E. barbarbarbarbar
- F. fofofofoobarbar
- G. fofofofoobarfoo

28.

Given classes defined in two different files:

```
1. package util;
2. public class BitUtils {
3.     public static void process(byte[]) { /* more code here */ }
4. }
```

```
1. package app;
2. public class SomeApp {
3.     public static void main(String[] args) {
4.         byte[] bytes = new byte[256];
5.         // insert code here
6.     }
7. }
```

What is required at line 5 in class SomeApp to use the process method of BitUtils?

- A. process(bytes);
- B. BitUtils.process(bytes);
- C. util.BitUtils.process(bytes);
- D. SomeApp cannot use methods in BitUtils.
- E. import util.BitUtils.*; process(bytes);

29.

Given:

```
13. public class Pass {
14.     public static void main(String [] args) {
15.         int x = 5;
16.         Pass p = new Pass();
17.         p.doStuff(x);
18.         System.out.print(" main x = " + x);
19.     }
20.
21.     void doStuff(int x) {
22.         System.out.print(" doStuff x = " + x++);
23.     }
24. }
```

What is the result?

- A. Compilation fails.
- B. An exception is thrown at runtime.
- C. doStuff x = 6 main x = 6
- D. doStuff x = 5 main x = 5
- E. doStuff x = 5 main x = 6
- F. doStuff x = 6 main x = 5

30.

Given:

```
11. static class A {
12.     void process() throws Exception { throw new Exception(); }
13. }
14. static class B extends A {
15.     void process() { System.out.println("B "); }
16. }
17. public static void main(String[] args) {
18.     A a = new B();
19.     a.process();
20. }
```

What is the result?

- A. B
- B. The code runs with no output.
- C. An exception is thrown at runtime.
- D. Compilation fails because of an error in line 15.
- E. Compilation fails because of an error in line 18.
- F. Compilation fails because of an error in line 19.

31.

Given:

```
10. class One {  
11.     public One foo() { return this; }  
12. }  
13. class Two extends One {  
14.     public One foo() { return this; }  
15. }  
16. class Three extends Two {  
17.     // insert method here  
18. }
```

Which two methods, inserted individually, correctly complete the Three class? (Choose two.)

- A . public void foo() {}
- B . public int foo() { return 3; }
- C . public Two foo() { return this; }
- D . public One foo() { return this; }
- E . public Object foo() { return this; }

***** Selamat Mengerjakan *****